


TRUBKY
KARBON


Obj. č.	A	B	S	L	$I_x \text{ cm}^4$	$I_y \text{ cm}^4$	$W_x \text{ cm}^3$	$W_y \text{ cm}^3$	mm^2	kg/m
116.008.005	8	5			0,017		0,043		30,63	0,05
116.010.007	10	7			0,04		0,08		40	0,05
116.012.009	12	9			0,07		0,12		49	0,08
116.015.009	15	9			0,22		0,29		113	0,18
116.015.012	15	12			0,15		0,20		64	0,10
116.016.013	16	13			0,18		0,23		68	0,11
116.020.010	20	10			0,74		0,74		236	0,38
116.020.014	20	14			0,60		0,60		160	0,26
116.020.017	20	17			0,38		0,38		87	0,14
116.022.018	22	18			0,64		0,58		126	0,20
116.024.021	24	21			0,67		0,56		106	0,17
116.025.015	25	15			1,67		1,34		314,16	0,5
116.025.022	25	22			0,77		0,61		111	0,18
116.028.025	28	25			1,10		0,79		125	0,20
116.030.024	30	24			2,5		1,57		254	0,41
116.032.029	32	29			1,68		1,05		144	0,23
116.035.032	35	32			2,22		1,27		158	0,25
116.040.037	40	37			3,37		1,68		181	0,29
116.050.046	50	46			8,70		3,48		302	0,48
116.060.050	60	50			33		11		864	1,38
116.060.055	60	55			18,70		6,23		452	0,72
116.080.075	79,3	74,4			45,75		11,44		609	0,97

Materiál: karbonový kompozit (z uhlíkových vláken)

Délka profilu: 4 m